Annals of

Otology , Rhinology and Laryngology

FOUNDED BY JAMES PLEASANT PARKER

VOL. XVI, 1907.

EDITORIAL STAFF.

H. W. LOEB, M. D., EDITOR-IN-CHIEF, ST. LOUIS.

T. MELVILLE HARDIE, M. D., CHICAGO.

G. L. RICHARDS, M. D., FALL RIVER.

J. L. GOODALE, M. D., BOSTON.

OTTO JOACHIM, M. D., NEW ORLEANS.

WYATT WINGRAVE, M. D., LON., EDITOR FOR ENGLAND.

A. Jansen, M. D., Berlin, Editor for Russia.

JOHN SENDZIAK, M. D., WARSAW, EDITOR FOR POLAND. JAMES T. CAMPBELL, M. D., CHICAGO.

THOS. J. HARRIS, M. D., NEW YORK.

SAMUEL E. ALLEN, M. D., CINCINNATI.

G. ALEXANDER, M. D., VIENNA, EDITOR FOR THE AUSTRIAN EMPIRE.

J. FISCHER, M. D., KOPENHAGEN, EDITOR FOR DENMARK AND SCANDINAVIA.

CLEMENT F. THEISEN, M. D., ALBANY, N. Y.

> Geo. B. Wood, M. D., PHILADELPHIA.

W. Posthumus Meyjes, M. D., Amsterdam, editor for holland and belgium.

PUBLISHED QUARTERLY,
By Jones H. Parker,
Mermod-Jaccard Building,
St. Louis, Mo.
1907.

THE JOHN CRERAR LIBRARY

TABLE OF CONTENTS.

I.—Three Cases of Labyrinthine Suppuration Complicating Purulent Otitis Media, by Edward Bradford Dench, M. D., New York
II.—Clinical Value of the Differential Blood Count in a Case of Acute Brain Disease and in a Case of Acute Double Mastoiditis, by W. P. Brandegee, M. D., New York
III.—Report of a Case of Deformity of the Nose Resulting from Lupus; Corrected by the Subcutaneous Method, by John O. Roe, M. D., Rochester
IV.—Trypsin Treatment of a Case of Malignant Disease, Involving the Left Tonsil, Base of Tongue and Epiglottis, by James T. Campbell, M. D., Professor of Otology, Rhinology and Laryngology in the Post-Graduate Medical School, Chicago
V.—The Conservation of Hearing in Operations on the Mastoid Region, by W. Sohier Bryant, A. M., M. D., New York
VI.—Routine Nasopharyngeal Examination in the Preparatory School, by James A. Babbitt, M. D., Philadelphia36
VII.—A Method of Forming a Skin and Periosteal Flap in Tympano-Mastoid Exenteration, by E. M. Holmes, M. D., Boston
VII.—Our Faulty Methods of Brain Localization in Intra- cranial Lesions Complicating Aural Diseases, by S. MACCUEN SMITH, M. D., Philadelphia
VIII.—The Determination of Aural Acuity by Means of the Whisper Test, by Prof. H. Zwaardemaker, Utrecht. Translated by Clarence Loeb, A. M., M. D., St. Louis

617.051 242170 H6131

IX.—A Case of Chronic Sinusitis Cured by Intranasal Treatment, by J. PAYSON CLARK, M. D., Physician for Diseases of the Throat, Massachusetts General Hospital, Boston70
X.—Papilloma of the Nose; a Case of Hyperosmia; a Case of Panotitis Complicated by Empyema of the Nasal Accessory Sinuses, with Several Unusual Features, by Thos. J. Harris, M. D., New York, Adjunct Professor of Diseases of the Nose and Throat, New York Post-Graduate School and Hospital
XI.—The Examination of the Throat in Chronic Systemic Infections, by J. L. GOODALE, M. D., Boston
XII.—Epithelioma of the Ear, by WILLIAM C. BRAISLIN, M. D., Surgeon Brooklyn Eye and Ear Hospital90
XIII.—Some Points in the Diagnosis and Treatment of Laryngeal Cancer, Being an Introduction to a Discussion Held in the Medical Society on January 28th, 1907, by SIR FELIX SEMON, K. C. V. O., Physician Extraordinary to His Majesty the King
XIV.—The Importance of Correcting Pathologic Conditions of the Nose and Throat in Patients Who Have Incipient Tuberculosis, by WILLIS S. ANDERSON, M. D., Detroit, Mich
XV.—Complete Congenital Occlusion of the Right Posterior Naris, by L. D. Brose, M. D., Ph. D., Evansville, Ind135
XVI.—Incorrect Nomenclature in Our Literature, a Historical Critical Discussion, by Prof. Dr. H. Schwartze, Halle a. S
XVII.—The Submucous Resection of the Nasal Septum; Some Remarks Based on Seventy-Five Cases, by LEE MAID-MENT HURD, M. D., New York City146

XVIII.—Tonsillectomy by Electro-Cautery Dissection, by EDWIN PYNCHON, M. D., Profesor of Rhino-Laryngology and Otology, Chicago Eye, Ear, Nose and Throat College, Chicago
XIX.—Observations in One Thousand Adenoid Operations by Frank B. Sprague, M. D., Providence, R. I180
XX.—The Treatment of Foreign Bodies in the Respiratory Tract and Esophagus, by Prof. Gustav Killian, Freiburg in Breisgau
XXI.—Modern Procedures in Excision of Intrinsic Malig- nant Growths of the Larynx, by Dr. J. Solis-Cohen, Phila- delphia, Pa
XXII.—Myxofibroma of the Nasopharynx, Causing Disfigurement—Report of a Case and Exhibition of Specimen, by D. Braden Kyle, A. M., M. D., Philadelphia294
XXIII.—Cysts of the Nasopharynx, by Richard H. Johnston, Baltimore
XXIV.—A Case of Carcinoma of the Middle Ear, Probably Endothelial, by W. SOHIER BRYANT, A. M., M. D., New York
XXV.—Atrophic Rhinitis; Etiology and Treatment, by Joseph C. Beck, M. D., Chicago, Ill313
XXVI.—A Study of Ear Symptoms in Arteriosclerosis with Special Reference to the Labyrinth, by John J. Kyle, M. D., Indianapolis
XXVII.—Hypertrophy of the Pharyngeal Lymphatic Ring as a Causative Factor in the Production of Epileptic Equivalents, by Walter S. Daly, M. D., Ogdensburg, N. Y338
XXVIII.—Epithelioma of the Larynx; Total Laryngectomy Including the Removal of Part of the Trachea. Death from Pneumonia on the Thirteenth Day, by CLEMENT F. THEISEN, M. D., Albany, N. Y
ATL. LA. ALIDERT, AV. L

XXIX.—Sarcoma of the Pharynx in a Child of Eight Years, with Autopsy Findings and Microscopic Report, by CLEMENT F. THEISEN, M. D., Albany, N. Y
XXX.—Non-recurrent Carcinoma of the Larynx (Removed Through the Natural Passages), by E. Fletcher Ingals, M. D., Chicago
XXXI.—Modern Surgery of the Faucial Tonsil, by Thos. J. GALLAHER, A. M., M. D., Denver, Colo
XXXII.—Report of Case of Traumatic Ethmoiditis—Cerebral Abscess—Death During Operation—Autopsy, by J. A. Stucky, M. D., Lexington, Ky
XXXIII.—A Case of Adeno-Carcinoma, Situated in the Right Maxillary Antrum, Reported One Year and a Half After Operation, by LEE MAIDMENT HURD, M. D., New York
XXXIV.—A Second Report on a Case of Epithelioma of the Uvula, Operated Five Years Ago, Without Recurrence, by James F. McCaw, M. D., Watertown, N. Y372
XXXV.—The Importance of Aural Inspections and Functional Tests in Healthy Individuals, by W. SOHIER BRYANT, A. M., M., D., New York
XXXVI.—The Physical Examination of Cleveland School Children, by George W. EHLER, C. E., Cleveland380
XXXVII.—Tuberculosis of the Middle Ear in Children, with Special Reference to its Occurrence as a Primary Lesion, by Paul Mathews, M. D
XXXVIII.—Etiology of Erysipelas, by C. R. Holmes, M. D., Cincinnati, O
XXXIX.—Purulent Affection of the Labyrinth Consecutive to Disease of the Middle Ear—Pathology, by Clarence John Blake, M. D

XL.—The Symptomatology and Diagnosis of Labyrinthitis Consecutive to Purulent Otitis Media, by H. O. Reik, M. D., Baltimore
XLI.—Treatment of Purulent Affection of the Labyrinth Consecutive to Disease of the Middle Ear, by John D. Richards, M. D., New York
XLII.—The Suppurating Middle Ear Diseases of Infancy and Childhood, by S. J. KOPETZKY, M. D., New York621
XLIII.—The Influence of Imperfect Nasal Respiration on the Oral Cavity, by E. Edwin Foster, M. D., New Bedford, Mass
XLIV.—The Duty of Restoring Hearing by Operation in Chronic Aural Suppuration, by Charles J. Heath, F. R. C. S., London, Eng
XLV.—Some Considerations Relative to the Lymphoid Tissues of the Fauces in Systemic Infections, by J. L. GOODALE, M. D., Boston, Mass
XLVI.—A Case of Profound Streptococcic Infection of Aural Origin Treated by Operation and Vaccination with Antistreptococcic Serum, followed by Death from Meningitis, by W. SOHIER BRYANT, A. M., M. D., New York689
XLVII.—Rosenmueller's Fossae and Their Importance in Relation to the Middle Ear, by Francis P. Emerson, M. D., Boston
XLVIII.—Tuberculosis of the Mouth, by ROBERT LEVY, M. D., Professor of Laryngology and Rhinology, Denver and Gross College of Medicine, Denver
XLIX.—New Methods of Examination of the Semicircular Canals and Their Practical Significance, by Dr. Robert Barany, Assistant in the Ear Clinic of Professor Adam Politzer, Vienna

LCircumscribed Purulent Inflammation of the Labyrinth,
by Dr. H. NEUMANN, Assistant in the Ear Clinic of Professor
Adam Politzer, Vienna. Translated by George L. RICHARDS,
M. D., Fall River, Mass
20, 2 41 11101, 1243511111111111111111111111111111111111
LIThe Construction of the Ethmoid Labyrinth, by
GEORGE E. SHAMBAUGH, M. D., Chicago
GEORGE E. SHAMBAUGH, M. D., CHICAGO
LIIIs There an Ideal Operation for the Correction of
Deviations of the Nasal Septum? by JOSEPH S. GIBB, M. D.,
Philadelphia
a madelphia
LILI.—Pathology of the Faucial Tonsil, by JAMES A.
BABBITT, M. D., Philadelphia
LIV.—Atrophic Rhinitis, by Dr. JOHN SENDZIAK, Warsaw,
Poland
LVA Report of a Case of Fibromyxoma, Involving the
Left Superior Maxilla, Including the Alveolus, Floor, Anterior
and Posterior Walls, and of Seven Years' Duration, by W. H.
HASKIN, M. D., New York
LVI.—A Report of Eleven Cases of Cerebral Complication
Due to Acute and Chronic Suppuration of the Middle Ear.
With Complete Analysis of Five, by CULLEN F. WELTY,
M. D., Clinical Surgeon of Otology, San Francisco Polyclinic;
Aural Surgeon, City and County Hospital; Consulting Aural,
Rhinological and Laryngological Surgeon, German Hospital,
San Francisco
Dan Francisco ,
LVII.—The Technic of the Complete Mastoid Operation—
Improved, Shortened and Simplified, Through the Digastric
Route, by Wm. Sohier Bryant, A. M., M. D., New York. 871
The second parties of
LVIII.—A Case of Mastoiditis and Epidural Abscess; Oper-
ation and Rapid Recovery, by W. Sohier Bryant, A. M.,
M. D., New York

LIX.—A Case of Suppuration and Necrosis of the Laby- rinth—Operation—Recovery, by George Loring Tobey, Jr., M. D., Aural Assistant Surgeon to the Massachusetts
Charitable Eye and Ear Infirmary, Boston
LX.—The Therapeutic Value of Fibrolysin in Otitis Media,
by Ernst Urbantschitsch, M. D. Translated by Clarence
LOEB, A. M., M. D
Book Reviews
Abstracts from Current Otologic, Rhinologic and Laryngo-
logic Literature:
I.—EAR195, 426, 703, 897
II.—Nose and Accessory Cavities219, 441, 718, 906
III.—PHARYNX AND MOUTH
IV.—LARYNX
V.—MISCELLANEOUS

